

CUSTOMIZE YOUR ROLLING TARP TO MEET YOUR REQUIREMENTS

STANDARD FEATURES

AVAILABLE OPTIONS



LOADS LIKE A FLATBED... PROTECTS LIKE A VAN! TM



STANDARD FEATURES FOR CHAMELEON ROLLING TARP SYSTEMS



Front Tensioning System

- · No tools required.
- · Quickly open the tarp system without opening the rear door.
- Accepts winch bar for even greater tensioning.



Rear Locks w/ Tarp Tensioning Adjustment

- · Simplest & quickest locking system on the market.
- · No tools required.
- Adjusts tarp tension when required.







119	123	143	168
221	244	311	323
356	537	543	549
566	590	619	636
679	682	705	717
763	830	905	907
			911

Fade Resistant UV Protected PVC Fabrics

- ·20oz (typical) & 40oz+ in wear areas.
- ·Standard white roof lets light shine in.
- ·Welded seams (not sewn).
- · Many standard colors available.

Dual-Mudguard Sealing Rail System

- · Stops road-spray from entering the load volume.
- Flexible rubber (high/low temperature design) seals around straps to keep water out.





STANDARD FEATURES FOR CHAMELEON ROLLING TARP SYSTEMS








Wheels & Rail System

- Low-friction rails and wheels with sealed stainless steel bearings for low-wear & easy rolling. No greasing needed. (1)
- •The small guide wheels ensure easy 1-person operation. (2)
- Stainless replaceable wear strips protect rails against wear. (3)

Easy-to-repair Modular Structure

- Chameleon is continually making its products easier to repair.
- Most of our parts can be shipped overnight to get you back on the road quicker.
- Components are fastened together rather than welded for quicker repair & installation.








Forklift Railguard

- Protects the rails against forklift collision when loading and unloading.
- Place where you want the forklift to load.

Rear Door Sealing

- Mechanical door clamp system seals/ secures the sides of the door better and is more reliable than velcro/buckle systems.
- · 2-Stage sealing system along base of door for tight seal against snow and road spray.
- Ergonomic handle & adjustable door clamp compression adjustment thread.





HEADBOARD - STANDARD FEATURES

Choose from the following options at **no extra** charge.

Smooth Mill Finish



Gloss Tread Finish



HEADBOARD - AVAILABLE OPTIONS

Choose from the following options at an extra charge.

Stainless Steel Headboard



· Mirror-like stainless steel skin on lightweight aluminum structure.

Headboard Wraps



- · Customize the front of your Chameleon to match your corporate branding or truck.
- · Add color, logos and/ or graphics.

Standard Integrated Chain Rack





Headboard Shelving Chain Binder Racks





Adjustable Headboard Vents

· Ventilation for food and gas transport.



Exterior



Exterior



Interior



Interior

HEADBOARD - STANDARD FEATURES


Choose from the following options at no extra charge.

White Air Deflector





Aluminum Top Plate (Smooth Mill Finish)





HEADBOARD - AVAILABLE OPTIONS

Choose from the following options at an extra charge.

Customized Air Deflector



Headboard Access Door



- 3-point locking system.
- · Exterior & interior handles.
- · Custom sizes available.

Headboard Aerodynamic Kit



- Fuel savings of 2-3%. Pays for itself in approximately 12 months.
- Aerodynamically designed to fill the gap between the tractor and the headboard to shield the negative effects of crosswinds to optimize fuel savings and driving stability.
- Does not interfere with turning radius of tractor. Open design to avoid interference with hook up and headboard access door.

DOT-Rated Headboard



- 58,000 lbs rating; Tested according to 49 CFR 393.114 (C) 2.
- Headboard access door not available on DOT headboards.
- · Subject to trailer specification review.

HEADBOARD - STANDARD FEATURES

Choose from the following options at **no extra** charge.

Headboard Standard Lighting





HEADBOARD - AVAILABLE OPTIONS

Choose from the following options at an extra charge.

Custom Headboard Lighting









 $\cdot \, \text{Emergency} \, \& \, \text{Strobe Shelves}.$


· LED Flood Lights.

Single Lift Bows





Double Lift Bows



REAR DOOR SYSTEMS STANDARD FEATURES

Choose from the following options at **no extra** charge.

Rope-Operation







REAR DOOR SYSTEMS AVAILABLE OPTIONS

Choose from the following options at an extra charge.

Rope-Door Lifting Device



- · Gas-cylinder powered frame lifts rope operated roll-up door up to clear your high loads.
- · Alternative to crank-operated rear door setups to provide more height clearance but without tools.

Van-Style Rear Doors



- · Decaling available.
- · Stainless Steel.



REAR DOOR SYSTEMS STANDARD FEATURES

Choose from the following options at **no extra** charge.

Crank-Operation







REAR DOOR SYSTEMS AVAILABLE OPTIONS

Choose from the following options at an extra charge.

Hybrid Door Operation





Rear Door Extension Kit





- · Cover a load that extends past the rear of the deck.
- · Approximate 10-12" extension.
- Neatly folds away into the rear bow frame when not in use.



AVAILABLE OPTIONS - GRAPHICS

Choose from the following options at **an extra** charge.

Graphics - Stenciled



- Traditional stencils are painted with a flexible anti-fade ink.
- · Most reliable & easy-to-clean.
- · Color matching available.
- In-house graphic design services available.







Graphics - Digital



- Less expensive than a billboard and seen by millions.
- Photo quality printing technology.
- Very affordable inhouse graphic design services available.





AVAILABLE OPTIONS - MAXIMIZE LOAD CAPACITY

Choose from the following options at **an extra** charge.

Lightbar



· Aluminum enclosure with stainless steel face. ¾" amber LEDs



Rail Extensions





- · Allows access to entire length of trailer while loading extra long loads.
- Portable Disassembles to travel with trailer.
- Leveling legs to adjust to trailer height.



Roll-Off Stand



- Oversized loads? Roll the tarp system off the deck and store it on a roll-off stand.
- Swivel casters for easy relocation in your shop.
- Leveling legs to adjust to trailer height.



Oversized Heights & Widths



- · Inside Height Clearance: Up to 144".
- · Inside Width Clearance: Up to 104".
- Chameleon can do even larger heights & widths for special projects.

REQUEST FOR QUOTE FORM

COMPANY:	 DATE:

FIRST/LAST NAME:



TRAILER/DECK TYPE

FLATBED TRAILER

DROP DECK TRAILER - Operation Type: Option 1 (Pallet Loads); Option 2 (Full Lower Deck Access); Split at Drop

STRAIGHT TRUCK DECK - If Applicable: On Board Forklift; Overhead Boom; Knuckle Boom; Lift Gate

B-TRAIN FLATBED SEMI-TRAILER

TILT DECK - Type: Flatbed Trailer; Truck/Carrier Deck; Drop Deck Trailer

GOOSE NECK UTILITY TRAILER BUMPER HITCH UTILITY TRAILER LOW-BOY / DETACHABLE GOOSENECK

OTHER:

TRAILER/DECK LENGTH

These specifications are an estimated average. Weights

& retracted lengths will vary

slightly according to exact kit

sizing and features selected.

Trailer/Deck Length: -(For A & B-Trains: Specify both trailer lengths)

- 48'-53' (2020lbs & 106" Retracted Length Note: Drop Deck: 2750lbs & 136" Retracted Length)
- 41'-48' (1870lbs & 95" Retracted Length Note: Drop Deck: 2560lbs & 125" Retracted Length)
- 35-41' (1720lbs & 84" Retracted Length Note: Drop Deck: 2360lbs & 114" Retracted Length)
- 26'-35' (1575lbs & 73" Retracted Length)
- 18'-26' (1420lbs & 62" Retracted Length)
- 14'-18' (1270lbs & 51" Retracted Length)
- 3'-14' (1125lbs & 40" Retracted Length)

INTERIOR WIDTH CLEARANCE REQUIRED

Interior Width Clearance Required:.

- · Legal limit is 104" interior width on 102" deck/trailer (Resulting in 108" overall width legal limit)
- Allowed to add up to 2" of interior width in addition to the trailer width (Ex: 96" Trailer + 2" Additional = 98" Interior Width)

INTERIOR HEIGHT CLEARANCE REQUIRED Interior Height Clearance Required:

Price Level 1: 40" - 90" Interior Height (Not applicable to drop decks)

Price Level 2: 90" - 102" Interior Height (Not applicable to drop decks)

Price Level 3: Additional 6" Increments (Applicable to drop decks)

We customize to the nearest 1/2" incremental height, at no extra charge, in order to maximize your load volume

OVERALL HEIGHT LIMIT REQUIRED

13'6"; 14'0"; Other

(Example: Your drive-in garage door is lower than 13'6")

AVAILABLE OPTIONS STANDARD NO-CHARGE FEATURES Aluminum Smooth Mill Finish Mirror-like Stainless Steel Skin HEADBOARD FINISHES Aluminum Gloss Tread Finish Headboard & Wing Wrap. Color: **HEADBOARD ACCESSORIES** White Air Deflector Headboard Shelving Chain Binder Rack Side Shelves Floor Basket Aluminum Top Plate (Smooth Mill Finish) Adjustable Headboard Vents 2x Door-Style Vents 2x Adjustable Vents Headboard Access Door (Typically 30" x 60") Painted Air Deflector - Color: Air Deflector Decals Headboard Aerodynamic Kit (2-3% fuel savings) DOT-Rated; Access Door Not Available 2x Round 3" Amber LED Clearance Lights **HEADBOARD LIGHTING** Additional 3x Amber LED Clearance Lights (5x Total) (On Air Deflector) Additional 7x Amber LED Clearance Lights (9x Total) 2x 3/4" Amber Marker Lights (On Top Plate) 2x Interior LED Flood Lights Strobe/Emergency Light Shelves (2x) **LIFT BOWS SYSTEM** Single Lift Bows (8" Roof Folds) Double Lift Bows (3" Roof Folds) REAR DOOR SYSTEMS Crank-Operated Roll-up Door Van-Style Door White or Color:..... Decals: Door Lifting Device (Rope-Operated Door Only) Rope-Operated Roll-up Door Rear Door Extension Kit Hybrid Door System (Rope & Crank Function) **GRAPHICS** No Graphics Stenciled & Painted Digital (Image-based Graphics and/or Gradient Logos) Please Quote Chameleon In-House Graphic Design Services **OVERSIZED LOAD** Rail Extensions (Portable) **CONVENIENCE PACKAGES** Roll-Off Stand with Casters (Store system at home) LIGHTBAR Lightbar (Both Sides)

Office: 115 Hymus Blvd., Pointe-Claire, QC, Canada. H9R 1E5 Toll-free: 1.888.695.3382 - International: +1 514 695.3382 - Fax: (514) 630.7266

www.rollingtarps.com

TARP COLOR (SIDES & DOOR) #

311 323

 549
 566
 590
 619
 636
 679
 682
 705
 717
 763
 830
 905



Chameleon will customize your rolling tarp to meet your requirements. Challenge us to provide solutions to your specific needs.





- **OFFICE:** 115 Hymus Boulevard, Pointe-Claire, QC, Canada H9R 1E5
- TOLL-FREE: 1 888.695.3382
- **INTERNATIONAL: (**514) 695.3382
- **FAX:** (514) 630.7266
- EMAIL: info@chameleon.ca
- www.rollingtarps.com/www.chameleon.ca